

SCHEDULE 1161.022(C)

STANDARDS FOR ACCESSORY SIGNS IN COMMERCIAL DISTRICTS

USES BY FUNCTIONAL TYPE OF SIGN PERMITTED	Maximum Number of Signs No. Abutting Street			Max. Area (Sq. Ft.)		Location and Structural Type Permitted					Other Characteristics Permitted		
	1	2	3	Per Face	Total	Wall	Projecting	Free Standing	Awning , Canopy , Roof	Marquee	Illuminated	Flashing	Moving
<i>IDENTIFICATION SIGNS:</i>													
1. Noncommercial and commercial uses except service stations:													
(A) Separate establishments fronting on a street	Except as given hereunder, maximum number of signs is controlled by Schedule 1161.023(B)	Except as given hereunder, maximum number of signs is controlled by Schedule 1161.022(C-1) attached hereto				X	X	X	In C-3 & C-4 only	In C-3 & C-4 only	X	X	X
(B) Shopping centers with two or more establishments													
(C) Establishments in shopping centers not fronting on a street, but visible from a residence district and within 500 feet thereof						X	X			X	X	X	X
(2) Service Stations (Where permitted):													
(A) Class 1 Signs:													
(1) 10 feet or more from street line	2	2	2	50	100			X			X	X	X
(2) Less than 10 feet from	2	2	2	30	60			X			X	X	X

SCHEDULE 1161.022(C)

STANDARDS FOR ACCESSORY SIGNS IN COMMERCIAL DISTRICTS

USES BY FUNCTIONAL TYPE OF SIGN PERMITTED	Maximum Number of Signs No. Abutting Street			Max. Area (Sq. Ft.)		Location and Structural Type Permitted					Other Characteristics Permitted		
	1	2	3	Per Face	Total	Wall	Projecting	Free Standing	Awning, Canopy, Roof	Marquee	Illuminated	Flashing	Moving
street line													
(B) Class 2 Signs	1	1	1	30	30	X				X	X	X	X
(C) Pump Signs	No limitation			2	2	Does not apply					X	X	X
BULLETIN BOARDS	1	2	3	20	40	X	X	X			X	X	
TEMPORARY SIGNS:													
(1) Real Estate:													
(A) Advertising single properties	1	2	3	12	24	X	X	X					
(B) Advertising space in shopping centers	1	2	3	50	100	X	X	X					
(2) Construction (per contractor)	1	1	1	4	8	X	X	X					
(3) Other Temporary	Shall comply with applicable requirements of §§ 1161.011, 1161.012 and 1161.025(E)												
DIRECTIONAL SIGNS	As needed			2	4	Where need is demonstrated							
* The letter X indicates that a sign having the structural type or other characteristic indicated by the column heading, is permitted for the use or functional sign type given on the same line.													

(Ord. 1969-182, passed 1-12-70)

SCHEDULE 1161.022(D)

STANDARDS FOR ACCESSORY SIGNS IN INDUSTRIAL DISTRICTS

USES BY FUNCTIONAL TYPE OF SIGN PERMITTED	Maximum Number of Signs No. Abutting Street			Max. Area (Sq. Ft.)		Location and Structural Type Permitted					Other Characteristics Permitted		
	1	2	3	Per Face	Total	Wall	Projecting	Free Standing	Awnning, Canopy, Roof	Marquee	Illuminated	Flashing	Moving
IDENTIFICATION SIGNS:													
1. All uses except service stations.				Except as given hereunder, maximum number of signs is controlled by Schedule 1161.023(B)	Six square feet, all faces per linear foot of frontage on all abutting streets	X	X	X	In I-2 only	X	X	X	X
(2) Service Stations:													
(A) Class 1 Signs													
(1) More than 10 feet from street line	2	2	2	50	100			X			X	X	X
(2) Less than 10 feet from street line	2	2	2	30	60			X			X	X	X
(B) Class 2 Signs	1	1	1	30	30	X	X			X	X	X	X
(C) Pump Signs	No limitation			2	2	Does not apply					X		
TEMPORARY SIGNS:													
(1) Real Estate:													
(A) Advertising single properties	1	2	3	50	100	X	X	X					
(B) Advertising sites in industrial parks	1	2	3	50	300	X	X	X					

SCHEDULE 1161.022(D)

STANDARDS FOR ACCESSORY SIGNS IN INDUSTRIAL DISTRICTS

USES BY FUNCTIONAL TYPE OF SIGN PERMITTED	Maximum Number of Signs No. Abutting Street			Max. Area (Sq. Ft.)		Location and Structural Type Permitted					Other Characteristics Permitted		
	(2) Construction (per contractor)	1	1	1	4	8	X	X	X				
(3) Other Temporary	Shall comply with applicable requirements of §§ 1161.011, 1161.012 and 1161.025(E)												
DIRECTIONAL SIGNS	As needed			2	4	Where need is demonstrated							

* The letter X indicates that a sign having the structural type or other characteristic indicated by the column heading, is permitted for the use or functional sign type given on the same line.

(Ord. 1969-182, passed 1-12-70)